WHAT IS CLAIMED AS NEW AND DESIRED TO BE SECURED BY LETTERS PATENT OF THE UNITED STATES IS:

1. A polypeptide having an amino acid sequence which comprises an amino acid subsequence, said amino acid subsequence being selected from the group consisting of:

5

10

15

- (a) the amino acid sequence encoded by the DNA sequence corresponding to from position 966 to 1149 and 2067 to 3079 of the nucleotide sequence shown in Figure 2; and
- (b) the amino acid sequence encoded by the DNA sequence corresponding to from position 1947 to 1959 and 2067 to 3079 of the nucleotide sequence shown in Figure 2.
- 2. An isolated sequence of DNA which encodes a polypeptide having an amino acid sequence which comprises an amino acid subsequence, said amino acid subsequence being selected from the group consisting of:
- (a) the amino acid sequence encoded by the DNA sequence corresponding to from position 966 to 1149 and 2067 to 3079 of the nucleotide sequence shown in Figure 2; and
- (b) the amino acid sequence encoded by the DNA sequence corresponding to from position 1947 to 1959 and 2067 to 3079 of the nucleotide sequence shown in Figure 2.
- 3. The DNA sequence of Claim 2, which comprises a DNA subsequence corresponding to from position 966 to 1149 and 2067 to 3079 of the DNA sequence shown in Figure 2.

- 4. The DNA sequence of Claim 2, which comprises a DNA subsequence corresponding to from position 1947 to 1959 and 2067 to 3079 of the DNA sequence shown in Figure 2.
- 5. A plasmid, comprising a sequence of DNA which encodes a polypeptide having an amino acid sequence which comprises an amino acid subsequence, said amino acid subsequence being selected from the group consisting of:
- (a) the amino acid sequence encoded by the DNA sequence corresponding to from position 996 to 1149 and 2067 to 3079 of the nucleotide sequence shown in Figure 2; and

10

15

20

- (b) the amino acid sequence encoded by the DNA sequence corresponding to from position 1947 to 1959 and 2067 to 3079 of the nucleotide sequence shown in Figure 2.
- 6. The plasmid of Claim 5, which comprises a DNA sequence corresponding to from position 996 to 1149 and 2067 to 3079 of the DNA sequence shown in Figure 2.
- 7. The plasmid of Claim 5, which comprises a DNA sequence corresponding to from position 1947 to 1959 and 2067 to 3079 of the DNA sequence shown in Figure 2.
- 8. A transformed cell, which comprises a plasmid comprising a sequence of DNA which encodes a polypeptide having an amino acid sequence which comprises an amino acid subsequence, said amino acid subsequence being selected from the group consisting of:

- (a) the amino acid sequence encoded by the DNA sequence corresponding to from position 996 to 1149 and 2067 to 3079 of the nucleotide sequence shown in Figure 2; and
- (b) the amino acid sequence encoded by the DNA sequence corresponding to from position 1947 to 1959 and 2067 to 3079 of the nucleotide sequence shown in Figure 2.

5

10

15

- 9. The transformed cell of Claim 8, wherein said plasmid comprises a DNA sequence corresponding to from position 996 to 1149 and 2067 to 3079 of the DNA sequence shown in Figure 2.
- 10. The transformed cell of Claim 8, wherein said plasmid comprises a DNA sequence corresponding to from position 1947 to 1959 and 2067 to 3079 of the DNA sequence shown in Figure 2.
- 11. An antibody which binds specifically to a polypeptide having an amino acid sequence which comprises an amino acid subsequence, said amino acid subsequence being selected from the group consisting of:
- (a) the amino acid sequence encoded by the DNA sequence corresponding to from position 996 to 1149 and 2067 to 3079 of the nucleotide sequence shown in Figure 2; and
- (b) the amino acid sequence encoded by the DNA
 25 sequence corresponding to from position 1947 to 1959 and
 2067 to 3079 of the nucleotide sequence shown in Figure 2.

- 12. The antibody of Claim 11, which is a monoclonal antibody.
 - 13. An immunoassay for a polypeptide, comprising
- (i) contacting a sample which may contain said polypeptide with an antibody which specifically binds to said polypeptide to form an antibody-polypeptide complex; and

5

10

- (ii) detecting said antibody-polypeptide complex; wherein said polypeptide has an amino acid sequence which comprises an amino acid subsequence, said amino acid subsequence being selected from the group consisting of:
- (a) the amino acid sequence encoded by the DNA sequence corresponding to from position 996 to 1149 and 2067 to 3079 of the nucleotide sequence shown in Figure 2; and
- (b) the amino acid sequence encoded by the DNA sequence corresponding to from position 1947 to 1959 and 2067 to 3079 of the nucleotide sequence shown in Figure 2.
- 14. An isolated sequence of DNA, which comprises a

 20 DNA subsequence corresponding to nucleotide positions 966
 to 3079 of the DNA sequence shown in Figure 2.
 - 15. An isolated sequence of DNA, which comprises a DNA subsequence corresponding to nucleotide positions 1947 to 3079 of the DNA sequence shown in Figure 2.
- 25 16. A method for producing a polypeptide, comprising culturing a transformed cell, which comprises a plasmid

comprising a sequence of DNA which encodes a polypeptide having an amino acid sequence which comprises an amino acid subsequence, said amino acid subsequence being selected from the group consisting of:

(a) the amino acid sequence encoded by the DNA sequence corresponding to from position 996 to 1149 and 2067 to 3079 of the nucleotide sequence shown in Figure 2; and

5

(b) the amino acid sequence encoded by the DNA
sequence corresponding to from position 1947 to 1959 and
2067 to 3079 of the nucleotide sequence shown in Figure 2.